

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

A' 1. (Currently Amended) A method for routing calls directed to a subscriber terminal in through a telecommunications network, the method comprising:

receiving call data relating to a call from a calling party to ~~a subscriber~~ at a telephone number[[,]] associated with the subscriber terminal, the call data comprising the subscriber telephone number;

querying the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal;

when the calling party selects leaving a voice message, connecting the call through the telecommunications network to a voice mail system of the subscriber;

when the calling party selects paging a subscriber, receiving call back information, disconnecting the call and placing a second call through the telecommunications network to a paging system of the subscriber that initiates a page to the subscriber; and

when the calling party selects connecting the call to the subscriber terminal, querying the calling party to enter a personal identification number;

when the personal identification number is authorized, connecting the call to the subscriber terminal; and

when the personal identification number is not authorized, connecting the call through the telecommunications network to the voice mail system.

2. (Currently Amended) The method for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 1, further comprising:

storing at least one activation time period, comprising a start time and an associated stop time;

determining whether a time of the call is within the at least one activation time period; and

when the time of the call is not within the at least one activation time period, connecting the call to the subscriber terminal without querying the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal.

3. (Currently Amended) The method for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 1, further comprising:

connecting the call to the voice mail system when no response to the querying the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal is received.

4. (Currently Amended) The method for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 1, further comprising:

connecting the call to the voice mail system when no response to the querying the calling party to enter the personal identification number is received.

5. (Currently Amended) A method for ~~implementing a service in a telecommunications network to control~~ controlling routing of incoming calls to a ~~voice mail service of a terminal of a~~ subscriber, ~~bypassing a subscriber terminal~~, the method comprising:

suspending at a terminating switch ~~in the telecommunications network a~~ an incoming call

P21172.A03

~~from a calling party terminal~~ to a telephone number of the subscriber terminal;

receiving at a service control point call data relating to the call, the call data comprising the subscriber telephone number and a calling party number;

when the call routing service is not active, connecting the call to the subscriber terminal;

when the call routing service is active, determining whether the calling party number comprises a telephone number of an intelligent peripheral;

when the calling party number comprises the intelligent peripheral telephone number, connecting the call to the subscriber terminal;

when the calling party number does not comprise the intelligent peripheral telephone number, forwarding the call to the intelligent peripheral;

querying the calling party to select one of paging the subscriber and bypassing ~~the~~ a voice mail system of the subscriber by entering an identification number;

when no selection is received, routing the call to the voice mail system;

when the paging selection is received, receiving a call back telephone number from the calling party, disconnecting the call, placing a second call to a paging system of the subscriber and interacting with the paging system to page the subscriber; and

when the bypassing the voice mail system selection is received, routing the call to the subscriber terminal when the identification number entered by the calling party matches a previously determined personal identification number of the subscriber, and routing the call to the voice mail system when the identification number entered by the calling party does not match the personal identification number.

6. (Currently Amended) The method for ~~implementing a service in a telecommunications network to control~~ controlling routing of incoming calls ~~to a voice mail system~~ according to claim 5, further comprising:

routing the call through the telecommunications network to the voice mail system when no identification number is received.

7. (Currently Amended) The method for controlling routing of incoming calls ~~to a subscriber terminal in a telecommunications network~~ according to claim 5, when the identification number entered by the calling party matches the personal identification number, the routing the call to the subscriber terminal comprising:

sending the call to the terminating switch in association with a new call;

receiving at the service control point updated call data associated with the new call, wherein the calling party number of the updated call data comprises the intelligent peripheral telephone number; and

instructing the terminating switch to connect the call to the subscriber terminal based on the calling party number comprising the intelligent peripheral telephone number.

8. (Currently Amended) A system for routing calls directed to a subscriber terminal ~~in~~ through a telecommunications network, the system comprising:

a service control point that receives call data relating to a call from a calling party to a telephone number associated with the subscriber terminal and implements a call routing service based on information in a call routing service account associated with the subscriber telephone number, the call data comprising at least the subscriber telephone number and a calling party

P21172.A03

telephone number; and

an intelligent peripheral that receives the call when the service control point implements the call routing service and queries the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal;

when the calling party selects leaving a voice message, the intelligent peripheral connecting the call through the telecommunications network to a voice mail system of the subscriber;

A) when the calling party selects paging the subscriber, the intelligent peripheral receiving a call back number from the calling party, disconnecting the call, placing a second call to a paging system of the subscriber, and interacting with the paging system to initiate a page to the subscriber;

when the calling party selects connecting the call to the subscriber terminal, the intelligent peripheral querying the calling party to enter a personal identification number from the calling party and determining authorization of the personal identification number entered by the calling party; and

when the personal identification number is authorized, the intelligent peripheral connecting the call to the subscriber terminal, and when the personal identification number is not authorized, the intelligent peripheral connecting the call to the voice mail system.

9. (Currently Amended) The system for routing calls directed to a subscriber terminal ~~in a~~ through the telecommunications network according to claim 8, when the intelligent peripheral connects the call to the subscriber terminal, the service control point receiving updated call data comprising a telephone number of the intelligent peripheral as the calling party telephone number; and

the service control point controlling connecting the call to the subscriber terminal based on

P21172.A03

the calling party telephone number.

10. (Currently Amended) The system for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 8, the service control point storing at least one time period in association with the call routing service account of the subscriber and determining whether a time of the call is within the at least one time period, the at least one time period comprising a start time and an associated stop time; and

when the time of the call is not within the at least one time period, the service control point connecting the call to the subscriber terminal without forwarding the call to the intelligent peripheral.

11. (Currently Amended) The system for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 10, further comprising:

a service management system, connectable to the service control point, that receives instructions from the subscriber, through a graphical user interface via a packet switched data network, to create and implement the at least one time period, the service management system transmitting the at least one time period to the service control point for storing and implementation.

12. (Currently Amended) The system for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 8, the intelligent peripheral connecting the call to the voice mail system when the calling party does not respond to the query from the intelligent peripheral to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal.

13. (Currently Amended) The system for routing calls directed to a subscriber terminal in through a telecommunications network according to claim 8, the intelligent peripheral connecting

P21172.A03

the call to the voice mail system when the calling party does not respond to the query from the intelligent peripheral to enter the personal identification number.

14. (Currently Amended) The system for routing calls directed to a subscriber terminal in a through the telecommunications network according to claim 8, the system further comprising:

A) a service management system, connectable to the intelligent peripheral, that receives instructions from the subscriber, through a graphical user interface via a packet switched data network, to create and implement the personal identification number, the service management system transmitting the personal identification number to the intelligent peripheral for storing and implementation with respect to authorizing the personal account number.

15. (Currently Amended) A system for implementing a service for a subscriber in a telecommunications network to control routing of calls to ~~a voice mail system of a subscriber,~~ bypassing a subscriber terminal, the system comprising:

a plurality of switches in the telecommunications network, one of the plurality of switches suspending a an incoming call from a calling party terminal to a telephone number associated with the subscriber terminal and, based on the subscriber telephone number, launching a trigger comprising call data relating to the call, the call data comprising the subscriber telephone number and a calling party number;

a service control point connectable to the one of the plurality of switches, the service control point receiving the trigger and determining whether the call routing service is active based on information previously stored in association with the subscriber telephone number; and

an intelligent peripheral connectable to the one of the plurality of switches, the intelligent

P21172.A03

peripheral storing in association with the subscriber telephone number a telephone number of the voice mail system, a telephone number of a paging system and a personal identification number;

when the service control point determines one of the call routing service being inactive and the calling party number being a telephone number of the intelligent peripheral, the service control point instructing the one of the plurality of switches to connect the call to the subscriber terminal;

when the service control point determines that the call routing service is active and that the calling party number is not the intelligent peripheral telephone number, the service control point instructing the one of the plurality of switches to connect the call to the intelligent peripheral;

the intelligent peripheral querying the calling party to select one of paging the subscriber and bypassing the voice mail system;

when the bypassing the voice mail system selection is received, the intelligent peripheral querying the calling party to enter an identification number;

when the identification number matches the personal identification number, the intelligent peripheral routing the call to the subscriber telephone number through the one of the plurality of switches, the calling party number being the intelligent peripheral telephone number; and

when the identification number does not match the personal identification number, the intelligent peripheral routing the call to the voice mail telephone number.

16. (Currently Amended) The system for implementing a the service for the subscriber in a the telecommunications network ~~to control routing of calls to a voice mail system~~ according to claim 15, when the paging selection is received, the intelligent peripheral receiving a call back number from the calling party, disconnecting the call, and placing a second call to the paging system



P21172.A03

telephone number.

17. (Currently Amended) The system for ~~routing calls to a subscriber terminal~~ implementing the service for the subscriber in a the telecommunications network according to claim 16, further comprising:

A /  
a service management system connectable to the service control point and the intelligent peripheral, the service management system being accessible by the subscriber through a graphical user interface via a packet switched data network and through an interactive voice response system via the telecommunications network.

18. (Currently Amended) The system for implementing a the service for the subscriber in a the telecommunications network ~~to control routing of calls to a voice mail system~~ according to claim 15, the intelligent peripheral routing the call to the voice mail telephone number when no identification number is received.

19. (Currently Amended) The system for ~~routing calls to a subscriber terminal~~ implementing the service for the subscriber in a the telecommunications network according to claim 17, when the intelligent peripheral places the second call to the paging system telephone number, the intelligent peripheral interacting with the paging system according to information specifically relating to the paging system of the subscriber, provided to the intelligent peripheral via the service management system.

20. (Currently Amended) The system for ~~routing calls to a subscriber terminal~~ implementing the service for the subscriber in a the telecommunications network according to claim 17, the information previously stored in relation to the subscriber telephone number comprising at least one

activation schedule, the at least one activation schedule comprising a least one time period during which the call routing service is active.

21. (Currently Amended) The system for ~~routing calls to a subscriber terminal~~ implementing the service for the subscriber in a the telecommunications network according to claim 20, the at least one activation schedule being determined by the subscriber and transmitted from the service management system to the service control point for implementation.

A<sup>1</sup> 22. (Currently Amended) The system for ~~routing calls to a subscriber terminal~~ implementing the service for the subscriber in a the telecommunications network according to claim 17, the personal identification number being determined by the subscriber and transmitted from the service management system to the intelligent peripheral for implementation.

23. (Currently Amended) A computer readable medium for storing a computer program that routes calls directed to a subscriber terminal ~~in~~ through a telecommunications network, the computer readable medium comprising:

a receiving source code segment that receives call data relating to a call from a calling party to a subscriber at a telephone number associated with the subscriber terminal, the call data comprising at least the subscriber telephone number; and

a routing source code segment that queries the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal, and that routes the call according to a response to the querying;

when the calling party selects leaving a voice message, the routing source code segment connecting the call to a voice mail system of the subscriber;

P21172.A03

when the calling party selects paging the subscriber, the routing source code segment receiving call back information, disconnecting the call and placing a second call through the telecommunications network to a paging system of the subscriber that initiates a page to the subscriber; and

when the calling party selects connecting the call to the subscriber terminal, the routing source code segment querying the calling party to enter a personal identification number;

A / when the personal identification number is authorized, the routing source code segment connecting the call to the subscriber terminal; and

when the personal identification number is not authorized, the routing source code segment connecting the call through to the voice mail system.

24. (Currently Amended) The computer readable medium for storing a the computer program that routes calls directed to a the subscriber terminal ~~in a telecommunications network~~, according to claim 23, the computer readable medium further comprising:

an activation source code segment that stores at least one activation time period, comprising a start time and an associated stop time, and that determines whether a time of the call is within the at least one activation time period;

when a time of the call is not within the at least one activation time period, the routing source code segment connecting the call to the subscriber terminal without querying the calling party to select one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal.

25. (Currently Amended) The computer readable medium for storing a the computer

P21172.A03

program that routes calls directed to a the subscriber terminal ~~in a telecommunications network~~, according to claim 23, the routing source code segment connecting the call to the voice mail system when no response is received from the calling party to the query for selecting one of leaving a voice message, paging the subscriber and connecting the call to the subscriber terminal.

A1 26. (Currently Amended) The computer readable medium for storing a the computer program that routes calls directed to a the subscriber terminal ~~in a telecommunications network~~, according to claim 23, the routing source code segment connecting the call to the voice mail system when no response is received from the calling party to the query for entering the personal identification number.

---